

cont B
transistors and emit light through the substrate that is through the adhesive layer and color filter. The substrate may be plastic, thus increasing the heat resistance.

In the Title:

Please replace the title "SEMICONDUCTOR DEVICE AND MANUFACTURING METHOD THEREOF" with the following rewritten title:

"SEMICONDUCTOR DEVICE WITH LIGHT EMITTING ELEMENTS AND AN ADHESIVE LAYER HOLDING COLOR FILTERS" /

In the Specification:

Please replace the paragraph beginning at page 7, line 15, with the following rewritten paragraph:

B²
Figs. 4A-4E illustrate a manufacturing process of an EL display device of Embodiment 1;

Please replace the paragraph beginning at page 7, line 17, with the following rewritten paragraph:

B³
Figs. 5A-5D illustrate the manufacturing process of the EL display device of Embodiment 1;

Please replace the paragraph beginning at page 7, line 19,

with the following rewritten paragraph:

B⁴ Figs. 6A-6D illustrate the manufacturing process of the EL display device of Embodiment 1;

Please replace the paragraph beginning at page 7, line 21, with the following rewritten paragraph:

B⁵ Figs. 7A-7C illustrate the manufacturing process of the EL display device of Embodiment 1;

Please replace the paragraph beginning at page 7, line 23, with the following rewritten paragraph:

B⁶ Figs. 8A-8C illustrate a manufacturing process of an EL display device of Embodiment 2;

Please replace the paragraph beginning at page 7, line 25, with the following rewritten paragraph:

B⁷ Figs. 9A-9B illustrate the manufacturing process of the EL display device of Embodiment 2;

Please replace the paragraph beginning at page 8, line 2, with the following rewritten paragraph:

B⁸ Figs. 10A-10B illustrate a terminal portion of an EL display device according to the present invention;

Please replace the paragraph beginning at page 8, line 10,
with the following rewritten paragraph:

B⁹ Figs. 14A-14B illustrate an example of arrangement of pixels
of the color filters;

Please replace the paragraph beginning at page 8, line 11,
with the following rewritten paragraph:

B¹⁰ Figs. 15A-15B illustrate another example of arrangement of
pixels of the color filters;

Please replace the paragraph beginning at page 8, line 13,
with the following rewritten paragraph:

B¹¹ Figs. 16A-16D illustrate a manufacturing process of a display
device according to the present invention;.

Please replace the paragraph beginning at page 8, line 15,
with the following rewritten paragraph:

B¹² Figs. 17A-17C illustrate the manufacturing process of the
display device according to the present invention;

Please replace the paragraph beginning at page 8, line 17,
with the following rewritten paragraph:

B¹³ Figs. 18A-18B illustrate the manufacturing process of the
display device according to the present invention;

Please replace the paragraph beginning at page 8, line 23,
with the following rewritten paragraph:

B14 Figs. 21A-21F illustrate examples of electronic apparatuses;
and

Please replace the paragraph beginning at page 8, line 24,
with the following rewritten paragraph:

B15 Figs. 22A-22C illustrate further examples of electronic
apparatuses.